<u> </u>			
	Application No.	Applicant(s)	·
Notice of Allowability	09/683,701	KOBAYASHI, SHIGETAKA	
Notice of Allowability	Examin r	Art Unit	
	Vincent P. Barth	2877	
The MAILING DATE of this communication appeared and provided in the communication appeared and the communication and the communication appeared and the communication and the communication and the communication appeared and the communication and the communication appeared and	(OR REMAINS) CLOSED in this ap) or other appropriate communication (IGHTS. This application is subject to	plication. If not include	ed THIS
1. This communication is responsive to Amendment dated 20	<u> 0 Apr. 2004</u> .		
2. The allowed claim(s) is/are <u>1-8</u> .			
3. \boxtimes The drawings filed on <u>05 February 2002</u> are accepted by t	he Examiner.		
4. Acknowledgment is made of a claim for foreign priority ur a) All b) Some* c) None of the: 1. Certified copies of the priority documents have 2. Certified copies of the priority documents have 3. Copies of the certified copies of the priority documents have International Bureau (PCT Rule 17.2(a)). * Certified copies not received: Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONM THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 5. A SUBSTITUTE OATH OR DECLARATION must be subm INFORMAL PATENT APPLICATION (PTO-152) which give 6. CORRECTED DRAWINGS (as "replacement sheets") mus (a) including changes required by the Notice of Draftspers 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner's Paper No./Mail Date	e been received. e been received in Application No cuments have been received in this is of this communication to file a reply of IENT of this application. itted. Note the attached EXAMINER' es reason(s) why the oath or declarate of the submitted. con's Patent Drawing Review (PTO-6) of Amendment / Comment or in the Office of the submitted of the submitted.	national stage applicate complying with the request of the stage application of the stage application and stage application application and stage application application and stage application appl	uirements OTICE OF
Identifying indicia such as the application number (see 37 CFR 1. each sheet. Replacement sheet(s) should be labeled as such in the such sheet. Replacement sheet(s) should be labeled as such in the second sheet. Replacement sheet(s) should be labeled as such in the second sheet. Replacement sheet (see 37 CFR 1. each sheet. Replacement sheet sheet. Replacement sheet sheet. Replacement sheet sheet sheet sheet. Replacement sheet sh	ne header.according.to 37.CFR 1.121(d sit of BIOLOGICAL MATERIAL m)	to
Attachm nt(s)			
Notice of References Cited (PTO-892)	5. Notice of Informal Pa		-152)
2 ☐ Notice of Draftperson's Patent Drawing Review (PTO-948)	6.	PTO-413),	
B. Information Disclosure Statements (PTO-1449 or PTO/SB/08 Paper No./Mail Date	8), 7. 🗌 Examiner's Amendm	ent/Comment	
I. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. Examiner's Statemer	nt of Reasons for Allov	vance
or bloogical Material	9. Other		

Application/Control Number: 09/683,701

Art Unit: 2877

DETAILED ACTION

Preliminary Comments

1. Applicant's Amendments dated 20 April 2004 have placed the Application in a condition for allowance as written. Accordingly, the following represents a reasoned statement for allowability.

Allowable Subject Matter

- 2. Claims 1-8 are allowable, since the prior art references, either considered alone or in combination, do not disclose or render obvious the limitations set forth therein.
- 3. Referring to Claim 1, the prior art references, either considered alone or in combination, do not disclose or render obvious the limitations whereby a device for inspecting a display panel comprises a light source and a dimmer plate which modulates the light transmission according to the intensity of the incident light, and wherein the light is transmitted through the dimmer plate, in combination with the remaining limitations in the claim. Claims 2-4 are allowable based on their dependency upon the claim from which each is dependent. Referring to Claim 5, the prior art references, either considered alone or in combination, do not disclose or render obvious the limitations whereby a method for inspecting a display panel comprises disposing the panel on a support, emitting light from a light source, receiving the light and controlling the transmitted light in accordance with the intensity of the incident light, said transmitted light having a controlled quantity, in combination with the remaining limitations in the claim. Claims 6-8 are allowable based on their dependency upon the claim from which each is dependent.

Art Unit: 2877

Comments

- 4. Applicant has amended Claim 2 as suggested by the Examiner in the previous Office Action, thus removing the indefiniteness. Accordingly, the rejection of Claim 2 pursuant to §112 is withdrawn.
- 5. Applicant's Remarks dated 20 April 2004 indicated that amended drawings were attached in the facsimile transmission to include larger figure numbers, as suggested in the previous Office Action. However, said facsimile contained 8 of 8 pages, but without drawings. The attached Notice of Allowability has indicated that the original drawings were acceptable as filed. Nevertheless, Applicant should still submit amended drawings, as was clearly Applicant's intent.

CONCLUSION

- 6. Applicants' Claims 1-8 are allowed based on the reasons set forth above.
- Any inquiries concerning this communication from the Examiner should be directed to Vincent P. Barth, whose telephone number is 571-272-2410, and who may be ordinarily reached from 9:00 a.m. to 5:30 p.m., Monday through Friday. The official fax number for communications to the group is 703-872-9306.
- 8. If attempts to reach the Examiner prove unsuccessful, the Examiner's supervisor is Frank G. Font, who may be reached at 571-272-2415.
- 9. Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is 703-308-1782.

Richard A. Rosenberger Primary Examiner